

Attachment 3 Telephone Requirements

(Polycom phone)													
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
			Public Safety										
			SUPERVISORS										
			CENTRAL AREA										
1 DID + 2		Dispatch Supervi	DS1-MPD 24	1		1	1		2616/add on		1		
1 DID + 2			DS2-MPD 30	1		1	1		2616/add on				
	100 rinddn		DS5-FEMS 12	1		1	2		2616/,2,add on		1		
	100ringdn		DS6-FEMS 18	1		1	2		2616/2,add on				
			SC7-MPD 36	1	1	1	1	1	2216 - 2616/add on				View/MIS info
			SC8-MPD 42	1	1	1	1	1	2216 -2616/add on				
			SC9-FEMS 6	1	1	1	1	1	2216/2616/add on				
			DISPATCH										
1 DIL + 2	out pool	Metro PD	D1-MPD 19	1		1			2616				
1 DIL + 2	out pool		D2-MPD 20	1		1			2616				
1 DIL + 2	out pool		D3-MPD 21	1		1			2616				
1 DIL + 2	out pool		D4-MPD 22	1		1			2616				
1 DIL + 2	out pool		D5-MPD 25	1		1			2616				
1 DIL + 2	out pool		D6-MPD 26	1		1			2616				
1 DIL + 2	out pool		D7-MPD 27	1		1			2616				
1 DIL + 2	out pool		D8-MPD 28	1		1			2616				
1 DIL + 2	out pool		D9-MPD 29	1		1			2616				
1 DIL + 2	out pool		D10-MPD 31	1		1			2616				
1 DIL + 2	out pool		D11-MPD 32	1		1			2616				
1 DIL + 2	out pool		D12-MPD 33	1		1			2616				
1 DIL + 2	out pool		D13-MPD 34	1		1			2616				
1 DIL + 2	out pool		D14-MPD 35	1		1			2616				

Attachment 3 Telephone Requirements

												(Polycom phone)	
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
1 DIL + 2	out pool		D15-MPD 37	1		1			2616				
1 DIL + 2	out pool		D16-MPD 38	1		1			2616				
1 DIL + 2	out pool		D17-MPD 39	1		1			2616				
1 DIL + 2	out pool		D18-MPD 40	1		1			2616				
1 DIL + 2	out pool		D19-MPD 41	1		1			2616				
		Fire Dispatch											
1 DIL + 2	out pool		D20-FEMS 7	1		1			2616				
1 DIL + 2	out pool		D21-FEMS 8	1		1			2616				
1 DIL + 2	out pool		D22-FEMS 9	1		1			2616				
1 DIL + 2	out pool		D23-FEMS 10	1		1			2616				
1 DIL + 2	out pool		D24-FEMS 13	1		1			2616				
1 DIL + 2	out pool		D25-FEMS 14	1		1			2616				
1 DIL + 2	out pool		D26-FEMS 15	1		1			2616				
1 DIL + 2	out pool		D27-FEMS 16	1		1			2616				
			CALLTAKER										
44 9-1-1 trunks + 2 pri	out pool		C1-MPD 43	1	1			1	2216				
	out pool		C2-MPD 44	1	1			1	2216				
	out pool		C3-MPD 45	1	1			1	2216				
	out pool		C4-MPD 46	1	1			1	2216				
	out pool		C5-MPD 47	1	1			1	2216				
	out pool		C6-MPD 48	1	1			1	2216				
	out pool		C7-MPD 49	1	1			1	2216				

Attachment 3 Telephone Requirements

												(Polycom phone)	
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
	out pool		C8-MPD 50	1	1			1	2216				
	out pool		C9-MPD 51	1	1			1	2216				
	out pool		C10-MPD 52	1	1			1	2216				
	out pool		C11-MPD 53	1	1			1	2216				
	out pool		C12-MPD 54	1	1			1	2216				
	out pool		C13-MPD 55	1	1			1	2216				
	out pool		C14-MPD 56	1	1			1	2216				
	out pool		C15-MPD 57	1	1			1	2216				
	out pool		C16-MPD 58	1	1			1	2216				
	out pool		C17-MPD 59	1	1			1	2216				
	out pool		C18-MPD 60	1	1			1	2216				
	out pool		C19-FEMS 61	1	1			1	2216				
	out pool		C20-FEMS 62	1	1			1	2216				
	out pool		C21-FEMS 63	1	1			1	2216				
	out pool		C22-FEMS 64	1	1			1	2216				
	out pool		C23-FEMS 65	1	1			1	2216				
	out pool		C24-FEMS 66	1	1			1	2216				
	out pool		C25-FEMS 67	1	1			1	2216				
3-1-1 trunks	out pool		C26-311 68	1	1			1	2216				
	out pool		C27-311 69	1	1			1	2216				
	out pool		C28-311 70	1	1			1	2216				
	out pool		C29-311 71	1	1			1	2216				
	out pool		C30-311 72	1	1			1	2216				
	out pool		C31-311 74	1	1			1	2216				
	out pool		C32-311 76	1	1			1	2216				
	out pool		C33-311 78	1	1			1	2216				

Attachment 3 Telephone Requirements

												(Polycom phone)	
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
	out pool		C34-311 79	1	1			1	2216				
	out pool		C35-311 80	1	1			1	2216				
	out pool		C36-311 81`	1	1			1	2216				
	out pool		C37-311 82	1	1			1	2216				
			EMA Specialist										
727 6161	out pool		S1-EMA 236A		1		1	1	2216/addon				
	out pool		S2-EMA 236A		1		1	1	2216/addon				
	out pool		S3-EMA 236A		1		1	1	2216/addon				
	out pool		S4-EMA 236A		1		1	1	2216/addon				
	out pool		S5-EMA 236A		1		1	1	2216/addon				
	out pool		S6-EMA 236A		1		1	1	2216/addon				
	out pool		S7-EMA 236A		1		1	1	2216/addon				
			Sup S 8-EMA 236A		1		2	1	2216/addon + 2626/2 add-on		1		Magic/VESTA view/MIS
			S9-EMA RIC		1	1	1	1	2616 add on				Integrate with Hansen Software
727 1000			City Wide (727-1000)										
	Out Pool CWCC		C1-C40 CWCC		40			40	2216				
DID	out pool for Admin		727-1000 160A		1	2	1	1	2 Admin Phones				
DID	out pool for Admin		727-1000 Ct Sup. Pos 41		1		1	1	Admin. Phone				
DID	out pool for Admin		727-1000 160C Oper. Man			1	1		Admin. Phone				
DID	use out pool for admin		DDOT										
			C1-C4		4		4		4 2616 add on				
			TRAINING 160 M										
All incoming for 911	out pool CT		T1	1	1			1	2216	1			Remote shelf from PSCC
	out pool CT		T2	1	1			1	2216				

Attachment 3 Telephone Requirements

												(Polycom phone)	
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
	out pool CT		T3	1	1			1	2216				
	out pool CT		T4	1	1			1	2216				
	out pool CT		T5	1	1			1	2216				
	out pool CT		T6	1	1			1	2216				
	out pool CT		T7	1	1			1	2216				
	out pool CT		T8	1	1			1	2216				
			Training Staff Position 160L										
DID	out pool		TS1			1			2616		1		
DID	out pool		TS2			1			2616				
DID	out pool		TS3			1			2616				
DID	out pool		TS4			1			2616				
DID	out pool		TS5			1			2616				
DID	out pool		TS6			1			2616				
			Offices										
DID	out pool for Admin		WATCH COMMANDER 160J			2			2 Admin Phones				
DID	out pool for Admin		MPD Liaison 160H			2			2 Admin Phones				
DID	out pool for Admin		FEMS Liaison 160G			2			2 Admin Phones				
DID	out pool for Admin		Fire Supervisor 160F			2			2 Admin Phones				VESTA Veiw
DID	out pool for Admin		Quality Control 160E		1	2	1	1	2 Admin Phones				
			Adm phones associated with 9-1-1 system			54	27						
DID	out pool for Admin												
DID	out pool for Admin		Operations Support										
DID	out pool for Admin		Transcript Support 104			1			1 Admin		1		
DID	out pool for Admin		FEMS Transcript 104			2			2 Admin Phones				

Attachment 3 Telephone Requirements

												(Polycom phone)	
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
DID	out pool for Admin		MPD Transcript 104			6			6 Admin Phones				
DID	out pool for Admin		Quality Control 107			2			2 Admin Phones		1		
DID	out pool for Admin		Monitor Workstations 108			4			4 Admin Phones				
DID	out pool for Admin		Vendor workroom 109			3			3 Admin Phones				
DID	out pool for Admin		Conference Rm. 125						2 wall Phones	2		1	
DID	out pool for Admin		Network Monitoring 128			6			6 Admin Phones				
DID	out pool for Admin		Network Supervisor 128A			1			1 Admin. Phone				
DID	out pool for Admin		911 Eq 160Q			2			2 Admin Phones				
DID	out pool for Admin		Electronic Eq. 160p			2			2 Admin Phones				
DID	out pool for Admin		Visitors Center 140						?				
DID	out pool for Admin		Waiting Room 131						?				
DID	out pool for Admin		Roll Call 141			2			Wall ph 2lines	1			
DID	out pool for Admin		Dining area 142						4 Wall Phones	4			
DID	out pool for Admin		Food Prep 143						No Phone				
DID	out pool for Admin		Men's Locker Rm 155						Wall Phone	1			
DID	out pool for Admin		Women Locker rm 156						Wall Phone	1			
DID	out pool for Admin		Security Rec 139			1			Admin. Phone				
DID	out pool for Admin		Exercise Rm 159						Wall Phone	1			
DID	out pool for Admin		DHS Sup. 160B		1			1	2 Admin Phones				
DID	DOD for EMA		Emergency Oper. Center Support										
DID	DOD for EMA		Special Projects 252			4			4 Admin Phone				
DID	DOD for EMA		Planning Off 252			2			2 Admin Phone				
DID	DOD for EMA		Training Officer 252			2			2 Admin Phone				
DID	DOD for EMA		Multi Purpose 253			1			1 Admin Phone		1		
DID	DOD for EMA		Rest Room 256						Wall Phone	1			
DID	DOD for EMA		Plains and Train Ch.250			1			1 Admin Phone				

Attachment 3 Telephone Requirements

												(Polycom phone)	
Incoming	Out		WORKSTATION	CA D	ACD set/16 prog. Keys	Set/16 prog. Keys	Add On/min 22prog. Keys	IWS	Phone Req.	Wall Phone	FAX Line	Conf Phone	Notes
DID	DOD for EMA		Special Events Coord.249			1			1 Admin Phone				
DID	DOD for EMA		Special Events Coord.247			1			1 Admin Phone				
DID	DOD for EMA		Public Info Ofc. 246			1			1 Admin Phone				
DID	DOD for EMA		Mitigation Ofc. 244/242			2			2 Admin Phone				
DID	DOD for EMA		Telecom Ofc. 242			1			1 Admin Phone				
DID	DOD for EMA		Chief Adm Serv 243			2			2 Admin Phones				
DID	DOD for EMA		Exerc. Ofc. 243			1			1 Admin Phone				
DID	DOD for EMA		Exerc Adm Staff 243			3			3 Admin Phone				
DID	DOD for EMA		Ch. Adm. Serv. 241			1			1 Admin Phone				
DID	DOD for EMA		Telecom Ofc. 240			1			1 Admin Phone				
DID	DOD for EMA		Eq Room 239			2			2 Wall Phones				
DID	DOD for EMA		Break Out Rm. 237			1			1 Admin Phone				
DID	DOD for EMA		Break Out Rm. 235/236E			2			2 Admin/2 WP 1 CP	2		1	
DID	DOD for EMA		Break Out Rm 236/BCD			3			3 Admin Phone				
DID	DOD for EMA		Liaison 234			2			2 Admin Phone				
DID	DOD for EMA		Emg. Alert Radio Rm. 233						2 Wall Phones	2			
DID	DOD for EMA		Situation/Conf Rm 204			2			2 Admin Ph /1WP/CP	1		1	
DID	DOD for EMA		Exec Ofc 206A			1			1 Admin Ph/CPh				
DID	DOD for EMA		Sup Multi Pur. 206			2			2 Admin Phones				
DID	DOD for EMA		Temp Workstations 206C			4			4 Admin Phone				
DID	DOD for EMA		Liaison 209			2			2 Admin Phone				
DID	DOD for EMA		Copy Fax supply room 211							1	1		
DID	DOD for EMA		Kitchen 212							1			
DID	DOD for EMA		EMA Deputy Dir.			1			1 Admin				
DID	DOD for EMA		Exec Assist. 225			1			1 Admin				
DID	DOD for EMA		EMA Deputy Dir. 228			1			1 Admin				
DID	DOD for EMA		EMA Dir. 229			3			3 Admins				
DID	DOD for EMA		Conf. 231			4			4 Admin/ 1CP		28 one per seat	1	Analog jacks for Lap Tops
DID	DOD for EMA		Mens Room 222							1			
DID	DOD for EMA		Womens Room 219							1			
DID	DOD for EMA		Rear Projection Room 208							2			
DID	DOD for EMA		Emergency Oper. Center 236			48			48 Admin				

## Attachment 3 Telephone Requirements

[illegible]



## Attachment 3 Telephone Requirements

[illegible]

